



DCN-SWSMV Synoptic Microphone and Voting Software



- ▶ **Synoptic room overview for monitoring and controlling the microphones**
- ▶ **Voting control with individual results**
- ▶ **Real-time voting results displayed in Microsoft PowerPoint®**
- ▶ **On-screen help in many languages**

The DCN-SWSMV Synoptic Microphone and Voting Software provides a range of conference facilities when used in combination with a DCN Wireless or DCN Next Generation system. The available functions include automatic seat assignment, synoptic microphone monitoring and control, and voting management.

Functions

Ease of use

Although it offers many powerful features, the software is extremely easy to use thanks to its innovative design. The application moves away from traditional control panels and buttons and replaces them with a highly intuitive graphic user interface. All functions are controlled from a single window making the software suitable for touch screen operation. The software features on-screen help in most major languages.

User interface

The user interface is based on a graphical representation of the conference venue. When a device is connected to the system it is automatically recognized and an icon is created for it on the on-screen room layout. The icons display information about device status and can be used by the operator to select individual devices for remote control

functions. If a device becomes disconnected from the system, a red cross is displayed on top of its icon to alert the operator.

Operating modes

The Synoptic Microphone and Voting Software can operate in the following modes, depending on the required task:


- Assignment mode allows you to assign names to microphone icons. The positions of the icons on the room layout can also be changed using the standard windows 'drag & drop'.
- Microphone control mode allows you to observe and control the state of each individual microphone. Microphones can be switched on and off, or placed in the 'request to speak' queue.
- Battery and signal view mode shows the remaining battery charge time and the signal strength for each wireless discussion unit
- Voting result mode shows individual results in different colors according to votes cast

Note

The different symbols in the various modes are specially designed so that they are also easily identified by persons with the visual disability of color blindness.

Parliamentary and real-time voting

The application provides parliamentary voting functionality. The system operator can summon delegates to vote, as well as starting and stopping voting sessions. Final vote results can be automatically printed or exported to a file; the software can also be configured to send real-time voting information to Microsoft PowerPoint® for display.



Real-time voting results in Microsoft PowerPoint®

Installation/Configuration Notes

Used in combination with a DCN Wireless or DCN Next Generation system.

Technical Specifications

Supported operating system Windows Vista Home Premium(32 or 64 bits) or above
 or
 Windows XP Professional (32 or 64 bits) and .Net Framework 2.0.
 All with the latest service packs and updates.

Ordering Information

DCN-SWSMV Synoptic Microphone and Voting Software

include automatic seat assignment, synoptic microphone monitoring and control, and voting management

DCN-SWSMV

Americas:
 Bosch Security Systems, Inc.
 Communications Systems
 12000 Portland Avenue, South
 Burnsville, Minnesota 55337, USA
 Phone: +1-800-392-3497
 Fax: +1-800-955-6831
 audiosupport@US.bosch.com
 www.boschcommunications.us

Europe, Middle East, Africa:
 Bosch Security Systems B.V.
 P.O. Box 80002
 5600 JB Eindhoven, The Netherlands
 Phone: + 31 40 2577 284
 Fax: +31 40 2577 330
 emea.securitysystems@bosch.com
 www.boschsecurity.com

Asia-Pacific:
 Robert Bosch (SEA) Pte Ltd
 11 Bishan Street 21
 Singapore 573943
 Phone: +65 6571 2600
 Fax: +65 6571 2698
 apr.securitysystems@bosch.com
 www.boschsecurity.com

Represented by